

- the wild. *IEEE Transactions on Affective Computing*, 10(1): 18-31 [DOI: 10.1109/TAFFC.2017.2740923]
- Pantic M, Valstar M, Rademaker R and Maat L. 2005. Web-based database for facial expression analysis//*Proceedings of the 2005 IEEE International Conference on Multimedia and Expo*. Amsterdam, Netherlands: IEEE: pp.5-pp [DOI: 10.1109/ICME.2005.1521424]
- Pratama B G, Ardiyanto I and Adji T B. 2017. A review on driver drowsiness based on image, bio-signal, and driver behavior//*Proceedings of the 2017 3rd International Conference on Science and Technology - Computer (ICST)*. Yogyakarta, Indonesia: 70-75 [DOI: 10.1109/ICSTC.2017.8011855]
- Rehman S, Raza S J, Stegemann A P, et al. 2013. Simulation-based robot-assisted surgical training: A health economic evaluation. *International Journal of Surgery*, 11(9): 841-846 [DOI: 10.1016/j.ijso.2013.08.006]
- Sawyer R, Smith A, Rowe J, Azevedo R and Lester J. 2017. Enhancing student models in game-based learning with facial expression recognition//*Proceedings of the 25th Conference on User Modeling, Adaptation and Personalization*. Bratislava, Slovakia: 192-201 [DOI: 10.1145/3079628.3079686]
- Su C, Wei J G and Lin D Y. 2022. Using attention LSGB network for facial expression recognition. *Pattern Analysis and Applications*, 26: 543-553 [DOI: 10.1007/s10044-022-01124-w]
- Wang K, Peng X J, Yang J F, Meng D B and Qiao Y. 2020. Region attention networks for pose and occlusion robust facial expression recognition. *IEEE Transactions on Image Processing*, 29: 4057-4069 [DOI: 10.1109/TIP.2019.2956143]
- Wang Q L, Wu B G, Zhu P F, Li P H, Zuo W M and Hu Q H. 2020. ECA-Net: Efficient channel attention for deep convolutional neural networks//*Proceedings of the IEEE conference on Computer Vision and Pattern Recognition(CVPR)*. Seattle, USA: 11534-11542 [DOI: 10.1109/CVPR42600.2020.01155]
- Wen Z Y, Lin W H, Wang T and Xu G. 2023. Distract your attention: Multi-head cross attention network for facial expression recognition. *Biomimetics*, 8(2): 199 [DOI: 10.3390/biomimetics8020199]
- Woo S H, Park J C, Lee J Y and Kweon I S. 2018. Cbam: Convolutional block attention module//*Proceedings of the European Conference on Computer Vision (ECCV)*. Munich, Germany: 3-19 [DOI: 10.1007/978-3-030-01234-2_1]
- Yang H Y, Ciftci U and Yin L J. 2018. Facial expression recognition by de-expression residue learning//*Proceedings of the 2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*. Salt Lake City, USA: 2168-2177 [DOI: 10.1109/CVPR.2018.00231]
- Yao L S, He S X, Su K and Shao Q T. 2022. Facial expression recognition based on spatial and channel attention mechanisms. *Wireless Personal Communications*, 125(2): 1483-1500 [DOI: 10.1007/s11277-022-09616-y]
- Zhang K H, Huang Y Z, Du Y and Wang L. 2017. Facial expression recognition based on deep evolutionary spatial-temporal networks. *IEEE Transactions on Image Processing*, 26(9): 4193-4203 [DOI: 10.1109/TIP.2017.2689999]
- Zhao G Y, Huang X H, Taini M, Li S and Pietikäinen M. 2011. Facial expression recognition from near-infrared videos. *Image and vision computing*, 29(9): 607-619 [DOI: 10.1016/j.imavis.2011.07.002]
- Zhao Z Q, Liu Q S and Wang S M. 2021. Learning deep global multi-scale and local attention features for facial expression recognition in the wild. *IEEE Transactions on Image Processing*, 30: 6544-6556 [DOI: 10.1109/TIP.2021.3093397]

