




JOURNAL OF IMAGE AND GRAPHICS

主办: 中国科学院空天信息创新研究院
中国图象图形学学会
北京应用物理与计算数学研究所

中国图象 图形学报

2020
10
VOL.25

ISSN1006-8961
CN11-3758/TB



“AI+医学影像”专刊



第25卷第10期（总第294期）

2020年10月16日

中国精品科技期刊
中国国际影响力优秀学术期刊
中国科技核心期刊
中文核心期刊

版权声明

凡向《中国图象图形学报》投稿，均视为同意在本刊网站及CNKI等全文数据库出版，所刊载论文已获得著作权人的授权。本刊所有图片均为非商业目的使用，所有内容，未经许可，不得转载或以其他方式使用。

Copyright

All rights reserved by Journal of Image and Graphics, Institute of Remote Sensing and Digital Earth, CAS. The content (including but not limited text, photo, etc) published in this journal is for non-commercial use.

主管单位 中国科学院

主办单位 中国科学院空天信息创新研究院

中国图象图形学学会

北京应用物理与计算数学研究所

主 编 顾行发

编辑出版 《中国图象图形学报》编辑出版委员会

通信地址 北京市海淀区北四环西路19号

邮 编 100190

电子信箱 jig@radi.ac.cn

电 话 010-58887035

网 址 www.cjig.cn

广告发布登记号 京朝工商广登字20170218号

总 发 行 北京报刊发行局

订 购 全国各地邮局

海外发行 中国国际图书贸易集团有限公司

（邮政信箱：北京399信箱 邮编：100048）

印刷装订 北京科信印刷有限公司

Journal of Image and Graphics

Title inscription: Song Jian

Monthly, Started in 1996

Superintended by Chinese Academy of Sciences

Sponsored by Aerospace Information Research Institute, CAS

China Society of Image and Graphics

Institute of Applied Physics and Computational Mathematics

Editor-in-Chief Gu Xingfa

Editor, Publisher Editorial and Publishing Board of Journal of Image and Graphics

Address No. 19, North 4th Ring Road West, Haidian District, Beijing, P. R. China

Zip code 100190

E-mail jig@radi.ac.cn

Telephone 010-58887035

Website www.cjig.cn

Distributed by Beijing Bureau for Distribution of Newspapers and Journals

Domestic All Local Post Offices in China

Overseas China International Book Trading Corporation
(P.O.Box 399, Beijing 100048, P.R.China))

Printed by Beijing Kexin Printing Co., Ltd.

CN 11-3758/TB


ISSN 1006-8961

CODEN ZTTXFZ


国外发行代号 M1406

国内邮发代号 82-831


国内定价 60.00元



深度学习在组织病理学中的应用综述(第1982页)



机器学习在术中光学成像技术中的应用研究(第1994页)



2D级联CNN模型的放疗危及器官自动分割(第2110页)

序言	安虹, 张云泉 I
编者按	II

综述

深度学习在医学影像中的应用综述

施俊, 汪琳琳, 王珊珊, 陈艳霞, 王乾, 魏冬铭, 梁淑君, 彭佳林, 易佳锦, 刘盛锋, 倪东, 王明亮, 张道强, 沈定刚	1953
---	------

深度学习在组织病理学中的应用综述

金旭, 文可, 吕国锋, 石军, 迟孟贤, 武铮, 安虹	1982
------------------------------------	------

机器学习在术中光学成像技术中的应用研究

张崇, 王坤, 田捷	1994
------------------	------

前沿进展

医学3D计算机视觉: 研究进展和挑战

杨健程, 倪冰冰	2002
----------------	------

点云算法在医学领域的研究进展

李美佳, 于泽宽, 刘晓, 颜荣耀, 于媛媛, 王大明, 陈涓, 陆军, 祁鹏, 王俊杰, 刘杰	2013
--	------

肝脏肿瘤CT图像深度学习分割方法综述

马金林, 邓媛媛, 马自萍	2024
---------------------	------

磁共振影像深度学习在精神分裂症诊断中的应用综述

宋佩伦, 王雅萍, 耿秀娟, 张航, 宋学勤	2047
------------------------------	------

新型冠状病毒肺炎(COVID-19)医学影像AI诊断研究进展

孟琢, 李铭辉	2058
---------------	------

等强度婴儿脑MR图像分割的深度学习方法综述

张航, 王雅萍, 耿秀娟, 付鹏飞	2068
-------------------------	------

医学影像疾病诊断的残差神经网络优化算法研究进展

周涛, 霍兵强, 陆惠玲, 师宏斌	2079
-------------------------	------

IVIM及纹理分析在术前预测宫颈癌类型和淋巴结转移研究进展

李翠平, 董江宁	2093
----------------	------

4D时空纵向分析在生物医学领域中的应用现状与趋势

徐春园, 曾晓天, 宋泽雨, 唐晓英	2100
--------------------------	------


计算机断层扫描图像

2D级联CNN模型的放疗危及器官自动分割


石军, 赵敏帆, 薛旭东, 郝晓宇, 金旭, 安虹, 张红雁	2110
--------------------------------------	------

融合双注意力机制3D U-Net的肺肿瘤分割


郝晓宇, 熊俊峰, 薛旭东, 石军, 文可, 韩文廷, 李晓扬, 赵俊, 傅小龙	2119
--	------



密集挤压激励网络的多标签胸部X光片疾病分类
(第2238页)



高分辨率深度生成网络的缺失牙体形态设计
(第2249页)



语义融合眼底图像动静脉分类方法(第2259页)

深度学习结合影像组学的肝脏肿瘤CT分割

刘云鹏, 刘光品, 王仁芳, 金冉, 孙德超, 邱虹, 董晨, 李瑾, 洪国斌 2128

超级计算支撑的新冠肺炎CT影像综合分析辅助系统应用

康波, 郭佳, 王帅, 徐波, 孟祥飞 2142

鼻咽癌原发肿瘤放疗靶区的自动分割

薛旭东, 郝晓宇, 石军, 丁轶, 魏伟, 安虹 2151

磁共振图像

组卷积轻量级脑肿瘤分割网络

赵奕名, 李锦, 关欣 2159

深度迭代融合的脑部磁共振图像颅骨去除网络

姚发展, 李智, 王丽会, 程欣宇, 张健 2171

融合密集残差块和GAN变体的医学图像非刚性配准

张桂梅, 胡强, 龚磊 2182

超声图像

结合分段频域和局部注意力的超声甲状腺分割

胡屹杉, 秦品乐, 曾建潮, 柴锐, 王丽芳 2195

面向乳腺超声图像分割的混合监督双通道反馈U-Net

贡荣麟, 施俊, 王骏 2206

乳腺超声双模态数据的协同约束网络

杨子奇, 龚勋, 朱丹, 郭颖 2218

乳腺超声肿瘤动态噪声指数及分割算法

邹海鹏, 龚勋, 胡毕杰, 罗俊 2229

研究应用

密集挤压激励网络的多标签胸部X光片疾病分类

张智睿, 李锦, 关欣 2238

高分辨率深度生成网络的缺失牙体形态设计

郭闯, 戴宁, 田素坤, 孙玉春, 俞青, 刘浩, 程筱胜 2249

语义融合眼底图像动静脉分类方法

高颖琪, 郭松, 李宁, 王恺, 康宏, 李涛 2259

AS-PANet:改进路径增强网络的重叠染色体实例分割


林成创, 赵淦森, 尹爱华, 丁笔超, 郭莉, 陈汉彪 2271

TSCNN:面向可穿戴心电信号监测与分析的卷积神经网络


孟琨, 葛康, 宋阳, 杨东溟 2281

CONTENTS


JOURNAL OF IMAGE AND GRAPHICS



A Survey on Applications of Deep Learning in Histopathology(P1982)



Review: the application of machine learning in intraoperative optical imaging technologies(P1994)



Automatic segmentation of organs-at-risk in radiotherapy using 2D cascade-CNN model(P2110)

Review

Applications of deep learning in medical imaging: a survey

Shi Jun, Wang Linlin, Wang Shanshan, Chen Yanxia, Wang Qian, Wei Dongming, Liang Shujun, Peng Jialin, Yi Jiajin, Liu Shengfeng, Ni Dong, Wang Mingliang, Zhang Daoqiang, Shen Dinggang 1953

Survey on the applications of deep learning to Histopathology

Jin Xu, Wen Ke, Lyu Guofeng, Shi Jun, Chi Mengxian, Wu Zheng, An Hong 1982

Review: the application of machine learning in intraoperative optical imaging technologies

Zhang Chong, Wang Kun, Tian Jie 1994

Frontier

Advances and challenges in medical 3D computer vision

Yang Jiancheng, Ni Bingbing 2002

Progress of point cloud algorithm in medical field

Li Meijia, Yu Zekuan, Liu Xiao, Yan Rongyao, Yu Yuanyuan, Wang Daming, Chen Juan, Lu Jun, Qi Peng, Wang Junjie, Liu Jie 2013

Review of deep learning segmentation methods for CT images of liver tumors

Ma Jinlin, Deng Yuanyuan, Ma Ziping 2024

Survey of deep learning in MRI-based diagnosis of schizophrenia

Song Peilun, Wang Yaping, Geng Xiujuan, Zhang Hang, Song Xueqin 2047

Progress of artificial intelligence diagnosis and Prognosis technology for COVID-19 medical imaging

Meng Lu, Li Ronghui 2058

Review of deep learning methods for isointense infant brain MR image segmentation

Zhang Hang, Wang Yaping, Geng Xiujuan, Fu Pengfei 2068

Progress of residual neural network optimization algorithm for medical imaging disease diagnosis

Zhou Tao, Huo Bingqiang, Lu Huiling, Shi Hongbin 2079

Advances in preoperative identification of subtypes and lymph node metastasis of cervical cancer by IVIM and texture analysis

Li Cuiping, Dong Jiangning 2093

Research status and trend of 4D spatiotemporal longitudinal analysis in biomedical field

Xu Chunyuan, Zeng Xiaotian, Song Zeyu, Tang Xiaoying 2100

Computerd Tomography Image

Automatic segmentation of organs-at-risk in radiotherapy using 2D cascade-CNN model


Shi Jun, Zhao Minfan, Xue Xudong, Hao Xiaoyu, Jin Xu, An Hong, Zhang Hongyan 2110

3D U-Net with dual attention mechanism for lung tumor segmentation


Hao Xiaoyu, Xiong Junfeng, Xue Xudong, Shi Jun, Wen Ke, Han Wenting, Li Xiaoyang, Zhao Jun, Fu Xiaolong 2119

Accurate segmentation method of liver tumor CT based on the combination of deep learning and radiomics


Liu Yunpeng, Liu Guangpin, Wang Renfang, Jin Ran, Sun Dechao, Qiu Hong, Dong Chen, Li Jin, Hong Guobin 2128



Multilabel chest X-ray disease classification based on a dense squeeze-and-excitation network (P2238)



Morphological design of missing tooth driven by high-resolution deep generation network(P2249)



Arteriovenous classification method in fundus images based on semantic fusion(P2259)

Supercomputing-supported COVID-19 CT image comprehensive analysis assistant system

Kang Bo, Guo Jia, Wang Shuai, Xu Bo, Meng Xiangfei 2142

Auto-segmentation of high-risk primary tumor gross target volume for the radiotherapy of nasopharyngeal carcinoma

Xue Xudong, Hao Xiaoyu, Shi Jun, Ding Yi, Wei Wei, An Hong 2151

Magnetic Resonance Image

Lightweight brain tumor segmentation algorithm based on a group convolutional neural network

Zhao Yiming, Li Qiang, Guan Xin 2159

Deep iterative fusion network on skull removal of brain magnetic resonance images

Yao Fazhan, Li Zhi, Wang Lihui, Cheng Xinyu, Zhang Jian 2171

Non-rigid medical image registration based on residual-in-residual dense block and GAN

Zhang Guimei, Hu Qiang, Gong Lei 2182

Ultrasound Image

Ultrasound thyroid segmentation based on segmented frequency domain and local attention

Hu Yishan, Qin Pinle, Zeng Jianchao, Chai Rui, Wang Lifang 2195

Hybrid supervised dual-channel feedback U-Net for segmentation of breast ultrasound images

Gong Ronglin, Shi Jun, Wang Jun 2206

Cooperative suppression network for bimodal data in breast cancer classification

Yang Ziqi, Gong Xun, Zhu Dan, Guo Ying 2218

Dynamic noise index and segmentation algorithm for breast ultrasound tumor

Zou Haipeng, Gong Xun, Hu Bijie, Luo Jun 2229

Research and Application

Multilabel chest X-ray disease classification based on a dense squeeze-and-excitation network

Zhang Zhirui, Li Qiang, Guan Xin 2238

Morphological design of missing tooth driven by high-resolution deep generation network

Guo Chuang, Dai Ning, Tian Sukun, Sun Yuchun, Yu Qing, Liu Hao, Cheng Xiaosheng 2249

Arteriovenous classification method in fundus images based on semantic fusion

Gao Yingqi, Guo Song, Li Ning, Wang Kai, Kang Hong, Li Tao 2259

AS-PANet: a chromosome instance segmentation method based on improved path aggregation network architecture

Lin Chengchuang, Zhao Gansen, Yin Aihua, Ding Bichao, Guo Li, Chen Hanbiao 2271

TSCNN: a convolutional neural network for the monitoring and analysis of the electrical signals of the heart from wearable devices

Meng Lu, Ge Kang, Song Yang, Yang Dongming 2281

中图法分类号: TP183 文献标识码: A 文章编号: 1006-8961(2020)10-2100-10

论文引用格式: Xu C Y, Zeng X T, Song Z Y and Tang X Y. 2020. Research status and trend of 4D spatiotemporal longitudinal analysis in biomedical field. *Journal of Image and Graphics*, 25(10): 2100-2109 (徐春园, 曾晓天, 宋泽雨, 唐晓英. 2020. 4D 时空纵向分析在生物医学领域中的应用现状与趋势. *中国图象图形学报*, 25(10): 2100-2109) [DOI:10.11834/jig.200188]

4D 时空纵向分析在生物医学领域中的应用现状与趋势

徐春园, 曾晓天, 宋泽雨, 唐晓英

北京理工大学生命学院医学工程与信息技术实验室, 北京 100081

摘要: 随着成像技术的成熟, 临床医生及实验人员能获得同时带有时间和空间信息的 4D (3D + 时间) 数据, 用于纵向研究疾病变化情况。由于缺乏合适的处理算法, 导致明显的信息丢失。为解决这一问题, 一些研究发挥人工智能在海量数据处理上的优势进行纵向医学图像分析, 研究目标随时间的动态变化。本文对 4D 时空纵向分析在生物学运动目标追踪、医学影像分割、肿瘤生长预测、血管动力学和神经科学等应用进行综述, 重点探讨了人工智能技术与传统分析方法在各应用场景的优劣, 并从联合多模态异构数据进行关联分析及联邦学习辅助算法部署两个角度进行前瞻性的探索和可行性分析, 突破 2D 影像处理瓶颈, 推动 4D 设备广泛应用, 并为未来时空纵向分析在生物医学领域中的方法学研究及应用场景探索提供思路。

关键词: 人工智能; 医学影像处理; 纵向分析; 4D 影像; 时空数据

Research status and trend of 4D spatiotemporal longitudinal analysis in biomedical field

Xu Chunyuan, Zeng Xiaotian, Song Zeyu, Tang Xiaoying

Laboratory of Medical Engineering and Information Technology, School of Life Science, Beijing Institute of Technology, Beijing 100081, China

Abstract: Clinicians and experimenters can obtain a time series of three-dimensional images in a fixed time period, that is, 4D (3D + time) longitudinal data with both time and space information, such as two-photon microscopy, CT/MRI (computer tomography/magnetic resonance imaging) Cine scanning mode, or artificially select a time point to scan, and use 4D tensor representation to integrate the collected data in one time and three spatial dimensions, which is suitable for longitudinal analysis. Longitudinal analysis describes the collection of data on one or more variables of the same object at multiple time points to study their changes over time or a set of diachronic research methods that track the influence of some variables, which are commonly used in the medical field; disease changes and causes. However, many studies in the past sliced 4D data into 2D/3D pictures due to the lack of suitable processing algorithms, resulting in significant information loss. In recent years, artificial intelligence has given full play to its natural advantages in massive data processing and has brought new solutions to solve the problems of 4D longitudinal data with high dimensions, large amount of calculation, and difficulty in analysis. Among the solutions, convolutional neural networks, long- and short-term memory networks, and other deep learning algorithms have achieved good results in the processing of different modalities, such as natural language, audio,

收稿日期: 2020-05-20; 修回日期: 2020-07-10; 预印本日期: 2020-07-17

基金项目: 国家自然科学基金项目 (81471743)

Supported by: National Natural Science Foundation of China (81471743)

image, and video. They have exceeded the traditional methods. In the longitudinal medical image analysis using 4D data, deep learning uses spatial information and time-varying information and plays an important role in studying the dynamic changes of goals over time. The main application directions can be divided into two categories: moving target tracking and positioning in the field of biomedicine and tumor growth prediction and auxiliary diagnosis, where moving target tracking and positioning includes matching between complex moving targets in the biological field, 4D longitudinal medical imaging, automatic data segmentation, and vascular dynamics research. Tumor growth prediction and auxiliary diagnosis use volume longitudinal data with time information to model tumor growth, calculate the change in tumor size over a period of time, that is, the growth characteristics of the tumor, and assist the doctor in the diagnostic stage from the perspective of growth rate (benign tumors generally grow slower than malignant tumors). Cancer grades are recommended for patients to review. During the treatment phase, tumor changes are accurately measured; the effects of radiotherapy or drug treatment are evaluated; survival is predicted; personalized treatment plans for patients are developed, and drug development is promoted. However, the abovementioned longitudinal analysis only focuses on the change of the macroscopic morphology of the lesion and cannot reflect all tumor biological information or predict the clinically relevant tumor properties. In the future, horizontal correlation analysis can include temporal features, capture the relationship between temporal and spatial changes, and map the quantitative values of molecular features to histopathological changes, thereby proving the relationship between the secretion of cytokines and the severity of lesions in the image relevance to explain the causality of the disease from the table and achieve personalized treatment. In addition, the accuracy and generalization of the abovementioned artificial intelligence algorithms depend on large-scale and high-quality data. Medical data have fewer samples, larger acquisition costs, and higher resolution requirements than data in other fields. Problem and longitudinal data make data collection difficult because they contain time information not previously involved. Future medical longitudinal data points can be combined with federal learning and transfer learning; federal learning is used to ensure that no data exchange is observed while improving the generalization of the model, making the same model suitable for data from other hospitals, and protecting the privacy of medical data. On the contrary, transfer learning is used to solve the problem of few high-quality samples and the lack of frame-by-frame labels, improve the accuracy of the model, and solve hidden security risks such as user privacy when the product is launched in the future.

Key words: artificial intelligence; medical image processing; longitudinal analysis; 4D image; spatiotemporal data

0 引言

纵向分析(马晶鑫,2020)描述的是在多个时间点收集相同对象在一个或多个变量上的数据,研究其随时间的变化情况,适用于对变化的模式以及因果关系的方向和强度进行研究,在医学领域中常用于研究疾病变化情况和病因。

目前临床医生及实验人员能以固定时间周期获取3维图像的时间序列,即同时带有时间和空间信息的4D(3D+时间)纵向数据,如双光子显微镜、4D超声、CT/MRI(computer tomography/magnetic resonance imaging)的Cine扫描模式、fMRI(functional magnetic resonance imaging)或人为选择时间点进行扫描,采用张量表示法将收集的数据按1个时间和3个空间维度进行整合,非常适合纵向分析,但由于缺乏合适的处理算法,过去许多研究将4D数据切

片为2D/3D图片,导致明显的信息丢失。

人工智能充分发挥其在海量数据处理上的天然优势,为解决4D纵向数据维度高、运算量大和难以分析等问题带来了新的解决途径,其中卷积神经网络(convolutional neural networks, CNNs)以及长短期记忆网络(long short-term memory, LSTM)等深度学习算法在自然语言、音频、图像和视频等不同模态的处理所取得的效果已经远超传统方法(曾晓天等, 2019)。在使用4D数据进行纵向医学图像分析方面,深度学习能充分利用空间信息和时变信息,研究目标随时间的动态变化处于起步阶段,研究较少,在生物学运动目标追踪、医学影像分割、血管动力学、神经科学和肿瘤生长预测等方面的应用如表1所示。

1 生物学运动目标追踪:4D显微镜

生物学数据分析是图像处理领域极具挑战性的

表 1 4D 时空分析中深度学习方法的应用
Table 1 Application of deep learning method in 4D spatiotemporal analysis

文献	深度学习类型	数据集	结果	应用
Kitrungrotsakul 等人(2019)	2. 5D CNN + CLSTM	TC-IAIP AIA2017	精确率: 81.8%	4D 显微镜图像中的有丝分裂细胞检测
Jiao 等人(2019)	FCDN(fully convolutional DenseNets) + DFMT	—	准确率: 98.52%	4D 荧光显微图像中的多目标跟踪
Gao 人(2018)	FCSLSTM(fully convolutional structured LSTM networks)	BRIC IBIS	MPA: 93.5%	4DMRI-医学图像分割
van de Leemput 等人(2019)	CNN	42 patients	MDC: 0.87 ± 0.04	4DCT-多类脑组织分割
Li 等人(2018)	Transfer Learning	77 patients	RVI: 0.95 ± 0.04	4DCT-确定放疗肿瘤靶体积
Pham 等人(2019)	ADMLP-NN	—	VDC: 0.92 ± 0.02	4DMRI-放疗目标跟踪
Zhao 等人(2018)	ST-CNN	HCP Q1	皮尔逊相关系数: 0.878	识别大脑功能性网络
Li 等人(2019)	DSRAE	HCP	—	时空模式大脑网络
El-Gazzar 等人(2020)	3DCNN + 双向 3DC-LSTM	ABIDE	F1-score: 0.78	fMRI-自闭症谱系障碍分类
Bengs 等人(2020)	4D CNN + Conv-RNN	—	F1-score: 0.71	fMRI-自闭症谱系障碍分类
Sarraf 等人(2019)	MCADNNet	ADNI	F1-score: 0.93	阿尔茨海默病(AD)的早期诊断
Puranik 等人(2018)	CNN + Transfer Learning	ADNI	准确率: 98.41%	阿尔茨海默病的早期诊断
Li 等人(2020)	3D CNN-LSTM	ADNI	AUC: 0.92	阿尔茨海默病的早期诊断
Zhang 等人(2019)	Spatio-temporal-ConvLSTM	33 patients	Dice Scores: 83.2%	肿瘤生长预测
Yang 等人(2019)	MCF-3DCNN	51 patients	准确率: 73.96%	肝癌病理分级

注:表中部分缩名词:MPA(mean pixel accuracy), 4DCT(four-dimensional computed tomography), MDC(mean Dice coefficients), RVI(Relative volume index), ADMLP-NN(adaptive boosting and multi-layer perceptron neural network), VDC(volume dice coefficient), AUC(area under curve), DSRAE(deep sparse recurrent auto-encoder), HCP(human connectome project), AD(alzheimer disease), MCI(Mild cognitive impairment), MCF(multichannel fusion)。“—”为无数据。

任务,由于生物体中的细胞粘连、形态不规则、结构很小且数量庞大直接影响图像分割的准确性;且细胞及亚细胞结构(如蛋白质复合物)除了快速迁移和复杂运动外,还具有连续的形态变化,包括分裂和融合,难以进行目标跟踪(He 等,2017);因此使用4D 动态显微镜数据同时得到邻近切片的空间信息及相邻的时间帧信息 $\{t-2,t-1,t,t+1,t+2\}$ 进行纵向分析十分适合生物学领域的目标检测及追踪任务, t 代表时间。

传统追踪方法如最近邻、卡尔曼滤波等,难以适用于复杂变化的生物学目标。研究表明,与传统方法使用对象位置或运动路径不同,通过对象识别进行跟踪的深度学习效果更好(Müller 等,2018)。不同于在图像分割任务构建单个网络对时间和空间一致性联合建模,追踪任务使用网络级联的方式单纯扩展模型的时间信息(3D + 时间),即先使用卷积神经网络作为第1个网络处理附近切片中的体积信

息,检测出候选单元,然后根据不同任务输出结果的不同,级联其他算法如 Kitrungrotsakul 等人(2019)级联长短时记忆网络利用相邻的时间帧信息细化第1个网络结果,检测有丝分裂细胞。Jiao 等人(2019)提出深度特征图跟踪(deep feature map tracking, DFMT)方法依据3维分割得到的特征响应图在扩展的搜索空间中查找最高的相关性来执行两帧中复杂的运动目标之间的匹配,实现多目标跟踪。

2 4D 医学影像数据自动分割

精确的组织分割是图像分析的第1步,由于建立动态病变模型需解决受试者内部和受试者间时间序列图像的配准问题,故在纵向医学研究领域尤为重要。如创伤性脑损伤(trumatic brain injury, TBI)(Dennis 等,2018)以及胶质瘤等呈现高度异质性的多灶性疾病,病变区解剖结构常存在较大变形

(水肿和出血等),但这些在规范图集空间并不存在。传统方法高度依赖时间序列中图像彼此间的相似性,通过将健康的规范模板变形映射到病变对象的图像数据建立新模板(Menze等,2011;Gooya等,2012;Wang等,2016;Reuter等,2012)或专门设计参数使图像共同配准(Gao等,2016;Lou等,2013;Ou等,2011)来辅助分割,通常需要针对特定数据集设计大量复杂参数,而当图像序列出现数据集以外较大的外观变化时可能会失效。为解决这一问题,Gao等人(2018)和van de Leemput等人(2019)使用卷积神经网络进行序列到序列建模,分别对4DMRI和CT进行端到端脑组织像素级分割,凭借少量参数在多个数据集显示可行性。

4D医学影像数据自动分割典型应用在医学立体定向放射治疗(stereotactic body radiation therapy, SBRT)领域,为减少癌症患者在呼吸运动过程中胸腔和腹部肿瘤非常明显的位置移动及形状变化带来的影响,常在临床靶区周边外扩一个足够大的边界,使之覆盖完全,但同时也会使肺组织受到不必要的照射(Nath等,2011;Chen等,2004)。为更准确地计算给感兴趣区域的每个体素的剂量,制定呼吸运动状态下放疗过程的动态剂量分布,需要实时追踪呼吸运动时肿瘤位置并定量分析形状的改变,为此需要精确地分割感兴趣结构。研究首先使用实时位置管理(real-time position management, RPM)系统和Cine扫描技术记录患者的呼吸运动并将时间信息整合到CT图像中,得到与呼吸运动相伴的空间运动特征,整理成4D纵向医学影像数据集(时飞跃等,2020)。Sundarapandian等人(2016)和Li等人(2018)分别对时间分辨的4D-CT数据应用时空马尔可夫随机场(Markov random field, MRF)和迁移学习算法追踪肺隔膜运动范围及确定肿瘤靶体积(internal gross target volume, IGTV),结果远远优于从透视分析。同理使用4D胸椎MRI数据进行呼吸运动管理,无电离辐射且软组织对比度更高,Pham等人(2019)和Yang等人(2014)分别使用自适应增强多层感知器神经网络(ADMLP-NN)和根据时空信息调整配准参数的方法自动分割。

3 血管动力学研究:4D-CTA

4D-CTA(computed tomography angiography)血

管成像技术能实时定量分析肺动脉和颅内动脉血流动力学改变情况,在颅内动脉瘤、脑血管狭窄或闭塞等脑血管疾病及急性肺动脉栓塞的成像检查中极具应用价值,且经常联合CT灌注成像(computed tomography perfusion, CTP)技术以准确反映脑血管情况。国内大多数研究由临床医生主导,聚焦于将4D-CTA与3D-CTA、数字减影血管造影(digital subtraction angiography, DSA)、智能对比剂追踪法等其他血管成像技术进行对照实验:将患者随机分为A、B两组,分别使用不同扫描方案,验证4D-CTA在疾病诊断中的准确性及应用价值,如冯永恒等人(2020)、宋维通等人(2019)应用于急性肺栓塞患者肺动脉成像,记录影像学特征及栓子数量,与金标准进行一致性分析。In't Veld等人(2020)、蒋孝先等人(2020)分别与DSA和3D-CTA进行对照,证明提取出颅内动静脉分流运动情况等动态特征的临床意义。冯瑞等人(2019)和李红伟(2019)联合CTP技术,计算其在检测形态及供血异常脑血管时的灵敏度和准确度等。

除使用4D-CTA外,Gur等人(2020)调整深度学习血管分割网络用于追踪双光子显微镜中脑血量随时间的变化,并识别自发性动脉扩张。Dewhurst等人(2020)使用4D Flow MRI量化右心房的血流动力学以及相关的上腔静脉(superior vena cava, SVC)和下腔静脉(inferior vena cava, IVC)流入。

4 神经科学:4D-fMRI

在神经科学领域,功能磁共振成像(fMRI)具有时间属性,通过检测血流的变化来捕获神经活动,并将测得的大脑活动与测量活动性的空间位置以及进行测量的时间一起存储。fMRI维度很高(约100万)且数据集基数有限(通常小于200个样本/对象),因此提取时空模式具有挑战性。一些研究不直接处理4D数据,而是将其经预处理分解为2D图像,如Sarraf等人(2019)和Puranik等人(2018)使用卷积神经网络进行阿尔茨海默症(Alzheimer disease, AD)和轻度认知障碍(mild cognitive impairment, MCI)分类。这种方法取得了一定的成绩,但Eklund等人(2016)证明,如果在fMRI分析过程中忽略数据彼此在时间和空间上的相关性,会导致结果的准确性和可解释性较差。可见从4D-fMRI数据

同时建模大脑功能网络的时空模式既是神经科学的基础,又是挑战性任务。

Qi 等人(2019)提出“GICA + ICA (group independent component analysis + independent component analysis)”的方法,将来自组独立成分分析(GICA)的fMRI时间信息合并到并行的独立成分分析(ICA)框架中,实现第1级fMRI特征与其他模态,如结构磁共振成像(structural MRI, sMRI)的直接融合,检测精神分裂症功能网络和结构的协变。

此外,也有深度学习算法直接处理4D数据。Zhao 等人(2018)提出的ST-CNN联合提取时空特征,自动识别大脑功能性网络,并用fMRI数据中的默认模式网络(default mode network, DMN)评估定位效果。Li 等人(2019)提出深度稀疏递归自动编码器(deep sparse recurrent auto-encoder, DSRAE),以无监督的方式学习时空模式大脑网络。得到大脑功能结构,可以进一步应用于脑部疾病数据集,更好地了解脑部异常活动。El-Gazzar 等人(2020)使用3D CNN和双向3DC-LSTM从4D数据中提取时空特征,并在公开的ABIDE数据集上评估模型,在自闭症谱系障碍(autism spectrum disorders, ASD)分类问题上F1-score为0.78。Bengs 等人(2020)采用4D卷积神经网络和卷积递归模型从时空fMRI数据中学习自闭症谱系障碍分类,其F1-score为0.71。Li 等人(2020)使用3D CNN-LSTM在ADNI数据集进行AD的早期诊断,实验结果证明充分利用4D-fMRI数据中保留的自然时空信息可提高分类器性能,有助于AD检测。

5 肿瘤生长预测及辅助诊断

使用添加时间信息的体积纵向数据进行肿瘤生长建模,计算出一段时间内肿瘤大小的变化情况,即肿瘤的生长特性,可在诊断阶段辅助医生从生长速度角度判断良恶性(良性肿瘤普遍较恶性生长速度慢)、癌症分级、建议患者复查时间。在治疗阶段,精确测算瘤体变化情况,评估放疗或药物治疗效果,预测生存期,为患者制定个性化治疗方案,并促进药物开发。目前主要有3种方式:简单临床指标、数学建模和深度学习。

5.1 简单临床指标

通过不同时间点影像的对比,以肿瘤体积为响

应变变量,量化单个患者的肿瘤生长速度。Nakamura 等人(2011)计算体积倍增时间(volume double time, VDT)等指标量化体积增长一倍所需的时间,评估患者的长期生存机会。在4D超声成像领域,Janas 等人(2019)和Martins 等人(2011)通过时空成像相关性(spatio-temporal image correlation, STIC)技术计算血管化异常患者的容积搏动指数(volume pulsatility index, vPI)和容积收缩/舒张指数(volume systolic/diastolic, vS/D)等指标,对器官和组织血流进行检测和定量,以及评估晚期神经内分泌肿瘤等。

得到指标量化值后,以总生存期(overall survival, OS)为标准,在两个纵向数据集上使用时间相关的Cox回归模型等统计方法与传统评估(如RANO(response assessment in neuro-oncology)标准)相比,分析它们和OS的关系,即该指标是否与总生存期显著相关,在预测总体生存期方面更有优势(Kickingereder 等,2019;Fried 等,2014)。

但Henker 等人(2017)研究表明:除体积测量方法各异、选择患者不准确等导致结论相反的情况外,不同水平个体随时间变化情况不同,且同一个体在病情不同阶段对治疗反应不一。

为解决这一问题,可将数据构造出多水平的层次结构,以肿瘤体积大小或肿瘤恶化情况将纵向数据分为层级1、层级2,进行纵向观测数据的多层分析,对不同个体间发展的差异及同一个体随时间的复杂变化情况进行解释。

5.2 数学建模

在预测未来肿瘤生长方面,常使用偏微分方程领域的反应扩散方程和生物力学进行个性化数学建模(Hou 等,2018;Liu 等,2014;Wong 等,2017;Roque 等,2018),通过有限差分法与有限元法导出并求解,根据早期时间点估计的肿瘤特异性参数拟合一条参数曲线,预测最后一个时间点的生长参数,得到预测的肿瘤体积结果,并与观察到的参考值进行比较,计算相对体积差(relative volume difference, RVD)、Dice重叠率以评估模型准确性。

然而数学模型由于参数数量有限以及缺乏人群趋势统计数据,其精度可能会受到限制,且不能完全契合地模拟,经常需要调整参数,没有自动效果。

5.3 深度学习

Zhang 等人(2019)使用深度学习中的卷积神经网络从静态图像中提取空间结构特征以及长短期记

忆网络捕捉数据包含的时变信息,联合学习层内空间结构、3 维上下文中的层间相关性和时间序列中的时间动态,将时间 1 和时间 2 的肿瘤图像切片作为输入,时间 2 和时间 3 的图像用来计算损失,预测肿瘤生长。

与其他方法仅预测未来的肿瘤体积相比,深度学习模型基于整体图像,通过改变输出可以预测肿瘤其他的特性,如细胞密度、CT 强度数字,以及肿瘤病理等级(Yang 等,2019)。但纵向分析包含以往未涉及的时间信息及医疗数据本身具有的小样本、获取成本大、对分辨率要求更高等问题,使纵向数据收集更加困难。样本少、模型参数多和计算量巨大等问题导致深度学习的方法容易过拟合、且未必获得更好的效果。

6 前瞻性探索及可行性分析

6.1 多模态纵向数据联合横向角度关联分析

纵向分析大多关注病灶宏观形态的改变,对实质性结构如肿瘤来说,其重要特征之一是异质性,即生理组织特征的变异性,这导致了不同程度的坏死、水肿和增强(钟睿等,2018)。但肿瘤宏观体积和位置的变化不能反映所有的肿瘤生物学信息,无法预测临床相关的肿瘤性质。对肺炎等弥漫性病灶来说,不同类型肺炎在某一阶段都存在磨玻璃影等相似影像学特征,难以对新冠肺炎与其他病毒性肺炎、细菌性肺炎、真菌性肺炎进行分类。对病毒性传染病来说,以 COVID-19 为例,ICU(intensive care unit)患者血浆中 IL(interleukin)-2、MIP1A(macrophage inflammatory protein-1 alpha)和 TNF(tumor necrosis factor)- α 等细胞因子水平比非 ICU 感染患者更高(Huang 等,2020)。这些信息均暗示了细胞因子的分泌情况可能与新冠肺炎患者肺部病变的严重程度相关。

为此一些研究使用影像组学从横向角度,使用影像结合微观基因水平、蛋白质模式的改变,将影像特征与组织病理的生物学特性、基础遗传学、临床数据联系起来,为靶向治疗和新药开发等提供依据,增强常规的预后和生长预测。如 Gutman 等人(2013)使用癌症基因组图谱(the cancer genome atlas, TCGA)数据库中 75 例胶质瘤患者的遗传资料和术前 MR 图像,通过多元 Cox 回归模型分析成像特征与

基因组学之间的关联。中科院脑网络中心 Qi 等人(2018)将表观遗传调节因子 microRNA132 与多模态脑成像数据直接联系在一起进行影像基因关联研究,结果表明未用药的抑郁症中 miR-132 因子的高表达与前额叶——边缘中 fALFF(fractional amplitude of low-frequency fluctuations)和灰质体积等指标值的降低有关。

未来横向关联分析可以包括时间特征,捕获时间和空间变化之间的联系,将分子特征量化值与组织病理学的改变一一对应,证明细胞因子的分泌情况与影像中病变严重程度之间的相关性,即由表及里地解释疾病的因果关系,真正做到个性化治疗。计算机视觉已成功对视频和音频等不同模态动态数据进行数据融合,对语音(Petridis 等,2018; Tao 和 Busso, 2019)、情绪进行识别(Hossain 和 Muhammad, 2019),对自然语言和图像联合表示进行多媒体内容索引(Baltrusaitis 等,2019),表明了多模态纵向数据联合横向角度关联分析技术上的可行性。

6.2 联邦学习辅助算法部署

人工智能算法的准确率及泛化性很大程度上依赖于大规模、高质量的数据,医疗数据相较于其他领域数据具有样本少、获取成本大、对分辨率要求更高的问题,此外由于涉及患者的隐私使医院之间数据更难共享,形成数据孤岛。而纵向数据由于包含以往未涉及的时间信息使数据收集更加困难。

国内外研究者对于联邦学习(federated learning, FL)有很积极的探索,联邦学习本质上是一种分布式机器学习技术(Zerka 等,2020; Zhu 和 Jin, 2020),试图在保证数据隐私安全的基础上(即每个客户端的原始数据存储在本地,无需交换或迁移),多个组织合作训练一个模型,提升 AI 模型的效果。Chang 等人(2018)和 Deist 等人(2017)通过来自不同国家不同医疗机构内存储的数据中学习而无需共享任何医学数据,并将联邦学习算法与集中式学习算法的性能进行了比较,结果表明,分布式模型的准确性与中央模型相似。证明将联邦学习应用到实际的科研、医院中行之有效。

在医学纵向数据分析方面,使用联邦学习,保证不进行数据交换的同时提升模型泛化性,使同一模型适用其他多个医院的数据,同时保护医疗数据的隐私;使用迁移学习,解决高质量样本少,逐帧标签缺失严重的问题,提升模型准确率。结合联邦学习

与迁移学习在未来可以解决当产品落地时用户的隐私等安全隐患问题。

7 结 语

目前大多数医学影像处理集中于对 2D“死片子”的认知,难以突破现有瓶颈,但使用带有时间和空间信息的 4D(3D + 时间)影像数据,进行时空纵向生物医学分析,以捕获时间和空间变化之间的联系,还有很大进步空间。人工智能在海量数据处理上相比传统算法有一定优势,在未来可以结合联邦学习辅助顺利落地;结合多模态的纵向数据联合横向角度关联分析,由表及里地解释疾病的因果关系,真正做到个性化治疗。

参考文献 (References)

- Baltrusaitis T, Ahuja C and Morency L P. 2019. Multimodal machine learning: a survey and taxonomy. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 41 (1): 423-443 [DOI: 10.1109/tpami.2018.2798607]
- Bengs M, Gessert N and Schlaefler A. 2020. 4D spatio-temporal deep learning with 4D fMRI data for autism spectrum disorder classification. [EB/OL]. [2020-05-01]. <https://arxiv.org/pdf/2004.10165v1.pdf>
- Chang K, Balachandar N, Lam C, Yi D, Brown J, Beers A, Rosen B, Rubin D L and Kalpathy-Cramer J. 2018. Distributed deep learning networks among institutions for medical imaging. *Journal of the American Medical Informatics Association*, 25(8): 945-954 [DOI: 10.1093/jamia/ocy017]
- Chen G T Y, Kung J H and Beaudette K P. 2004. Artifacts in computed tomography scanning of moving objects. *Seminars in Radiation Oncology*, 14(1): 19-26 [DOI: 10.1053/j.semradonc.2003.10.004]
- Deist T M, Jochems A, van Soest J, Nalbantov G, Oberije C, Walsh S, Eble M, Bulens P, Coucke P, Dries W, Dekker A and Lambin P. 2017. Infrastructure and distributed learning methodology for privacy-preserving multi-centric rapid learning health care: euroCAT. *Clinical and Translational Radiation Oncology*, 4: 24-31 [DOI: 10.1016/j.ctro.2016.12.004]
- Dennis E L, Babikian T, Giza C C, Thompson P M and Asarnow R F. 2018. Neuroimaging of the injured pediatric brain: methods and new lessons. *The Neuroscientist*, 24(6): 652-670 [DOI: 10.1177/1073858418759489]
- Dewhurst P, Coats L, Parikh J D, Hollingsworth K G and Gan L. 2020. The role of flow rotation in the adult right atrium: a 4D flow cardiovascular magnetic resonance study. *Physiological Measurement*, 41(3): #035007 [DOI: 10.1088/1361-6579/ab7d77]
- Eklund A, Nichols T E and Knutsson H. 2016. Cluster failure: why fMRI inferences for spatial extent have inflated false-positive rates. *Proceedings of the National Academy of Sciences of the United States of America*, 113(28): 7900-7905 [DOI: 10.1073/pnas.1602413113]
- El-Gazzar A, Quaak M, Cerliani L, Bloem P, van Wingen G and Thomas R M. 2020. A hybrid 3DCNN and 3DC-LSTM based model for 4D spatio-temporal fMRI data: an Abide autism classification study [EB/OL]. [2020-05-01]. <https://arxiv.org/pdf/2002.05981.pdf> [DOI: 10.1007/978-3-030-32695-1_11]
- Feng R, Wang Z Q, Zhu H X and Song Y L. 2019. The values of 4 d-CTA combined with CTP technology in preoperative evaluation of meningiomas adjacent to large blood vessels. *Chinese Journal of CT and MRI*, 17(1): 37-40 (冯瑞, 王志群, 祝红线, 宋云龙. 2019. 4D-CTA 联合 CTP 在紧邻大血管脑膜瘤术前评估中的价值. *中国 CT 和 MRI 杂志*, 17(1): 37-40) [DOI: 10.3969/j.issn.1672-5131.2019.01.012]
- Feng Y H, Li J, Gao R X and Pang X. 2020. Application value of 4D-CT angiography in pulmonary artery imaging of patients with acute pulmonary embolism. *Medical Equipment*, 33(4): 8-9 (冯永恒, 李军, 高瑞雪, 庞鑫. 2020. 4D-CT 血管成像技术在急性肺栓塞患者肺动脉成像中的应用价值. *医疗装备*, 33(4): 8-9) [DOI: 10.3969/j.issn.1002-2376.2020.04.005]
- Fried D V, Tucker S L, Zhou S H, Liao Z X, Mawlawi O, Ibbott G and Court L E. 2014. Prognostic value and reproducibility of pretreatment CT texture features in stage III non-small cell lung cancer. *International Journal of Radiation Oncology Biology Physics*, 90(4): 834-842 [DOI: 10.1016/j.ijrobp.2014.07.020]
- Gao Y, Phillips J M, Zheng Y, Min R Q, Fletcher P T and Gerig G. 2018. Fully convolutional structured LSTM networks for joint 4D medical image segmentation//*Proceedings of the 15th IEEE International Symposium on Biomedical Imaging*. Washington: IEEE: 1104-1108 [DOI: 10.1109/ISBI.2018.8363764]
- Gao Y, Zhang M M, Grewen K, Fletcher P T and Gerig G. 2016. Image registration and segmentation in longitudinal MRI using temporal appearance modeling//*Proceedings of the 13th IEEE International Symposium on Biomedical Imaging*. Prague, Czech Republic: IEEE: 629-632 [DOI: 10.1109/ISBI.2016.7493346]
- Gooya A, Pohl K M, Bilello M, Cirillo L, Biros G, Melhem E R and Davatzikos C. 2012. GLISTR: glioma image segmentation and registration. *IEEE Transactions on Medical Imaging*, 31(10): 1941-1954 [DOI: 10.1109/tmi.2012.2210558]
- Gur S, Wolf L, Golgher L and Blinder P. 2020. Microvascular dynamics from 4D microscopy using temporal segmentation. *Pacific Symposium on Biocomputing*, 25: 331-342 [DOI: 10.1142/9789811215636_0030]
- Gutman D A, Cooper L A D, Hwang S N, Holder C A, Gao J J, Aurora

- T D, Dunn W D Jr, Scarpance L, Mikkelsen T, Jain R, Wintermark M, Jilwan M, Raghavan P, Huang E, Clifford R J, Mongkolwat P, Kleper V, Freymann J, Kirby J, Zinn P O, Moreno C S, Jaffe C, Colen R, Rubin D L, Saltz J, Flanders A and Brat D J. 2013. MR imaging predictors of molecular profile and survival: multi-institutional study of the TCGA glioblastoma data set. *Radiology*, 267(2): 560-569 [DOI: 10.1148/radiol.13120118]
- He T, Mao H, Guo J X and Yi Z. 2017. Cell tracking using deep neural networks with multi-task learning. *Image and Vision Computing*, 60: 142-153 [DOI: 10.1016/j.imavis.2016.11.010]
- Henker C, Kriesen T, Glass Ä, Schneider B and Piek J. 2017. Volumetric quantification of glioblastoma: experiences with different measurement techniques and impact on survival. *Journal of Neuro-Oncology*, 135(2): 391-402 [DOI: 10.1007/s11060-017-2587-5]
- Hossain M S and Muhammad G. 2019. An audio-visual emotion recognition system using deep learning fusion for a cognitive wireless framework. *IEEE Wireless Communications*, 26(3): 62-68 [DOI: 10.1109/mwc.2019.1800419]
- Hou Y, Konen J, Brat D J, Marcus A I and Cooper L A D. 2018. TASI: a software tool for spatial-temporal quantification of tumor spheroid dynamics. *Scientific Reports*, 8: #7248 [DOI: 10.1038/s41598-018-25337-4]
- Huang H, Zhang M, Chen C, Zhang H L, Wei Y Q, Tian J B, Shang J, Deng Y, Du A H and Dai H P. 2020. Clinical Characteristics of COVID-19 in patients with pre-existing ILD: a retrospective study in a single center in Wuhan, China. [EB/OL]. [2020-05-01]. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/jmv.26174> [DOI: 10.1002/jmv.26174]
- In't Veld M, Fronczek R, dos Santos M P, van Walderveen M A A, Meijer F J A, Willems P W A and Zhang X Q. 2020. High sensitivity and specificity of 4D-CTA in detecting intracranial arteriovenous shunt. *International Journal of Medical Radiology*, 43(1): #119 (In't Veld M, Fronczek R, dos Santos M P, van Walderveen M A A, Meijer F J A, Willems P W A, 张晓琦. 2020. 4 d-cta 在检测颅内动静脉分流中的高敏感度和特异度. *国际医学放射学杂志*, 43(1): #119) [DOI: 10.19300/j.2020.e1107]
- Janas K, Kudla M J, Janas A, Blicharz-Dorniak J and Kos-Kudla B. 2019. Spatio-temporal image correlation (STIC) in evaluation of advanced neuroendocrine tumours. *Endokrynologia Polska*, 70(3): 219-223 [DOI: 10.5603/EP.a2019.0001]
- Jiang X X, Luo G H, Zhou F and Liu W H. 2020. Application value of 4D-CT angiography in the diagnosis of intracranial aneurysm. *Journal of China Medical University*, 49(4): 336-341 (蒋孝先, 罗光华, 周飞, 刘文洪. 2020. 4D-CTA 在颅内动脉瘤诊断中的应用价值. *中国医科大学学报*, 49(4): 336-341) [DOI: 10.12007/j.j.issn.0258-4646.2020.04.010]
- Jiao Y, Weng M and Yang M. 2019. Multi-object portion tracking in 4D fluorescence microscopy imagery with deep feature maps//Proceedings of 2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops. Long Beach: IEEE: 1087-1096 [DOI: 10.1109/cvprw.2019.00142]
- Kickingereder P, Isensee F, Tursunova I, Petersen J, Neuberger U, Bonekamp D, Brugnara G, Schell M, Kessler T, Foltyn M, Harting I, Sahm F, Prager M, Nowosielski M, Wick A, Nolden M, Radbruch A, Debus J, Schlemmer H P, Heiland S, Platten M, von Deimling A, van den Bent M J, Gorlia T, Wick W, Bendszus M and Maier-Hein K H. 2019. Automated quantitative tumour response assessment of MRI in neuro-oncology with artificial neural networks: a multicentre, retrospective study. *The Lancet Oncology*, 20(5): 728-740 [DOI: 10.1016/s1470-2045(19)30098-1]
- Kitrungsakul T, Han X H, Iwamoto Y, Takemoto S, Yokota H, Ipponjima S, Nemoto T, Wei X and Chen Y W. 2019. A cascade of 2.5D CNN and bidirectional CLSTM network for mitotic cell detection in 4D microscopy image. *IEEE/ACM Transactions on Computational Biology and Bioinformatics* [DOI: 10.1109/tcb.2019.2919015]
- Li H W. 2019. Value of CTP and 4D-CTA in evaluating cerebrovascular stenosis or occlusion. *Chinese Journal of CT and MRI*, 17(3): 69-71, 112 (李红伟. 2019. CTP 与 4D-CTA 在评估脑血管狭窄或闭塞的价值研究. *中国 CT 和 MRI 杂志*, 17(3): 69-71, 112) [DOI: 10.3969/j.issn.1672-5131.2019.03.022]
- Li Q, Dong Q L, Ge F F, Qiang N, Zhao Y, Wang H, Huang H, Wu X and Liu T M. 2019. Simultaneous spatial-temporal decomposition of connectome-scale brain networks by deep sparse recurrent auto-encoders//Proceedings of the 26th International Conference on Information Processing in Medical Imaging. Hong Kong, China: Springer: 579-591 [DOI: 10.1007/978-3-030-20351-1_45]
- Li W, Lin X F and Chen X. 2020. Detecting Alzheimer's disease based on 4D fMRI: an exploration under deep learning framework. *Neurocomputing*, 388: 280-287 [DOI: 10.1016/j.neucom.2020.01.053]
- Li X D, Deng Z H, Deng Q H, Zhang L D, Niu T Y and Kuang Y. 2018. A novel deep learning framework for internal gross target volume definition from 4D computed tomography of lung cancer patients. *IEEE Access*, 6: 37775-37783 [DOI: 10.1109/access.2018.2851027]
- Liu Y X, Sadowski S M, Weisbrod A B, Kebebew E, Summers R M and Yao J H. 2014. Patient specific tumor growth prediction using multimodal images. *Medical Image Analysis*, 18(3): 555-566 [DOI: 10.1016/j.media.2014.02.005]
- Lou Y F, Irimia A, Vela P A, Chambers M C, van Horn J D, Vespa P M and Tannenbaum A R. 2013. Multimodal deformable registration of traumatic brain injury MR volumes via the Bhattacharyya distance. *IEEE Transactions on Biomedical Engineering*, 60(9): 2511-2520 [DOI: 10.1109/tbme.2013.2259625]
- Ma J X. 2020. Longitudinal study: measuring changes and explaining the causal relationship. *Document, Information and Knowledge*, (1): 31-35 (马晶鑫. 2020. 纵向研究——测量变化和解释因

- 果关系. 图书情报知识, (1): 31-35 [DOI: 10.13366/j. dik. 2010.01.018]
- Martins W P, Welsh A W, Lima J C, Natri C O and Raine-Fenning N J. 2011. The “volumetric” pulsatility index as evaluated by spatio-temporal imaging correlation (STIC): a preliminary description of a novel technique, its application to the endometrium and an evaluation of its reproducibility. *Ultrasound in Medicine and Biology*, 37(12): 2160-2168 [DOI: 10.1016/j. ultrasmedbio. 2011. 08. 014]
- Menze B H, van Leemput K, Honkela A, Konukoglu E, Weber M A, Ayache N and Golland P. 2011. A generative approach for image-based modeling of tumor growth//*Proceedings of the 22nd Information Processing in Medical Imaging*. Kloster Irsee: Springer: 735-747 [DOI: 10.1007/978-3-642-22092-0_60]
- Müller M, Bibi A, Giancola S, Alsubaihi S and Ghanem B. 2018. TrackingNet: a large-scale dataset and benchmark for object tracking in the wild//*Proceedings of the 15th European Conference on Computer Vision*. Munich: Springer: #434 [DOI: 10.1007/978-3-030-01246-5_19]
- Nakamura T, Matsumine A, Matsubara T, Asanuma K, Uchida A and Sudo A. 2011. Clinical impact of the tumor volume doubling time on sarcoma patients with lung metastases. *Clinical and Experimental Metastasis*, 28(8): 819-825 [DOI: 10.1007/s10585-011-9413-9]
- Nath S K, Sandhu A P, Jensen L, Kim D, Bharne A, Nobienksy P D, Lawson J D, Fuster M M, Bazhenova L, Song W Y and Mundt A J. 2011. Frameless image-guided stereotactic body radiation therapy for lung tumors with 4-dimensional computed tomography or 4-dimensional positron emission tomography/computed tomography. *Clinical Lung Cancer*, 12(3): 180-186 [DOI: 10.1016/j. clcc. 2011. 03. 014]
- Ou Y M, Sotiras A, Paragios N and Davatzikos C. 2011. Dramms: deformable registration via attribute matching and mutual-saliency weighting. *Medical Image Analysis*, 15(4): 622-639 [DOI: 10.1016/j. media. 2010. 07. 002]
- Petridis S, Stafylakis T, Ma P E H, Cai F P, Tzimiropoulos G and Pantic M. 2018. End-to-end audiovisual speech recognition//*Proceedings of 2018 IEEE International Conference on Acoustics, Speech, and Signal Processing*. Calgary: IEEE: 6548-6552 [DOI: 10.1109/ICASSP. 2018. 8461326]
- Pham J, Harris W, Sun W Z, Yang Z, Yin F F and Ren L. 2019. Predicting real-time 3D deformation field maps (DFM) based on volumetric cine MRI (VC-MRI) and artificial neural networks for on board 4D target tracking: a feasibility study. *Physics in Medicine and Biology*, 64(16): #165016 [DOI: 10.1088/1361-6560/ab359a]
- Puranik M, Shah H, Shah K and Bagul S. 2018. Intelligent alzheimer’s detector using deep learning//*Proceedings of the 2nd International Conference on Intelligent Computing and Control Systems*. Madurai: IEEE: 318-323 [DOI: 10.1109/ICCONS. 2018. 8663065]
- Qi S L, Sui J, Chen J Y, Liu J Y, Jiang R T, Silva R, Iraj A, Damara-ju E, Salman M, Lin D D, Fu Z N, Zhi D M, Turner J A, Bustillo J, Ford J M, Mathalon D H, Voyvodic J, McEwen S, Preda A, Belger A, Potkin S G, Mueller B A, Adali T and Calhoun V D. 2019. Parallel group ICA + ICA: joint estimation of linked functional network variability and structural covariation with application to schizophrenia. *Human Brain Mapping*, 40(13): 3795-3809 [DOI: 10.1002/hbm. 24632]
- Qi S L, Yang X, Zhao L S, Calhoun V D, Perrone-Bizzozero N, Liu S F, Jiang R T, Jiang T Z, Sui J and Ma X H. 2018. MicroRNA132 associated multimodal neuroimaging patterns in unmedicated major depressive disorder. *Brain*, 141(3): 916-926 [DOI: 10.1093/brain/awx366]
- Reuter M, Schmansky N J, Rosas H D and Fischl B. 2012. Within-subject template estimation for unbiased longitudinal image analysis. *Neuroimage*, 61(4): 1402-1418 [DOI: 10.1016/j. neuroimage. 2012. 02. 084]
- Roque T, Risser L, Kersemans V, Smart S, Allen D, Kinches P, Gilchrist S, Gomes A L, Schnabel J A and Chappell M A. 2018. A DCE-MRI driven 3-D reaction-diffusion model of solid tumor growth. *IEEE Transactions on Medical Imaging*, 37(3): 724-732 [DOI: 10.1109/tmi. 2017. 2779811]
- Sarraf S, Desouza D D, Anderson J A E and Saverino C. 2019. MCADNNet: recognizing stages of cognitive impairment through efficient convolutional fMRI and MRI neural network topology models. *IEEE Access*, 7: 155584-155600 [DOI: 10.1109/access. 2019. 2949577]
- Shi F Y, Qin W, Chen F, Zhao H Y and Jin X. 2020. Effects of respiratory phase and phantom position on uniformity of 4D-CT image. *Chinese Journal of Medical Physics*, 37(1): 65-68 (时飞跃, 秦伟, 陈飞, 赵环宇, 金洵. 2020. 呼吸时相和模体位置对4D-CT图像均匀性的影响. *中国医学物理学杂志*, 37(1): 65-68) [DOI: 10.3969/j. issn. 1005-202X. 2020. 01. 013]
- Song W T, Han P, Yang X F, Wang Z and Zhou K F. 2019. Application of 4D-CTA technique in acute pulmonary embolism. *Guangxi Medical Journal*, 41(1): 96-98 (宋维通, 韩鹏, 杨献峰, 王钟, 周科峰. 2019. 4D-CTA 技术在急性肺动脉栓塞中的应用. *广西医学*, 41(1): 96-98) [DOI: CNKI: SUN: GYYX. 0. 2019-01-024]
- Sundarapandian M, Kalpathi R, Siuchi R A C and Kadam A S. 2016. Lung diaphragm tracking in CBCT images using spatio-temporal MRF. *Computerized Medical Imaging and Graphics*, 53: 9-18 [DOI: 10.1016/j. compmedimag. 2016. 07. 001]
- Tao F and Busso C. 2019. End-to-end audiovisual speech activity detection with bimodal recurrent neural models. *Speech Communication*, 113: 25-35 [DOI: 10.1016/j. specom. 2019. 07. 003]
- van de Leemput S C, Meijs M, Patel A, Meijer F J A, van Ginneken B and Manniesing R. 2019. Multiclass brain tissue segmentation in 4D CT using convolutional neural networks. *IEEE Access*, 7: 51557-51569 [DOI: 10.1109/access. 2019. 2910348]

- Wang B, Prastawa M, Irimia A, Saha A, Liu W, Goh S Y M, Vespa P M, van Horn J D and Gerig G. 2016. Modeling 4D pathological changes by leveraging normative models. *Computer Vision and Image Understanding*, 151: 3-13 [DOI: 10.1016/j.cviu.2016.01.007]
- Wong K C L, Summers R M, Kebebew E and Yao J H. 2017. Pancreatic tumor growth prediction with elastic-growth decomposition, image-derived motion, and FDM-FEM coupling. *IEEE Transactions on Medical Imaging*, 36(1): 111-123 [DOI: 10.1109/tmi.2016.2597313]
- Yang D W, Jia X B, Xiao Y J, Wang X P, Wang Z C and Yang Z H. 2019. Noninvasive evaluation of the pathologic grade of hepatocellular carcinoma using MCF-3DCNN: a pilot study. *Biomed Research International*, 2019: #9783106 [DOI: 10.1155/2019/9783106]
- Yang Y, van Reeth E, Poh C L, Tan C H and Tham I W K. 2014. A spatiotemporal-based scheme for efficient registration-based segmentation of thoracic 4-D MRI. *IEEE Journal of Biomedical and Health Informatics*, 18(3): 969-977 [DOI: 10.1109/jbhi.2013.2282183]
- Zeng X T, Xu C Y, Zhang Y, Dong G Z and Tang X Y. 2019. Research progress on artificial intelligence in the standardization system construction of medical big data. *Beijing Biomedical Engineering*, 38(6): 639-643 (曾晓天, 徐春园, 张勇, 董国昭, 唐晓英. 2019. 人工智能在医学大数据标准化体系建设中的研究进展. *北京生物医学工程*, 38(6): 639-643)
- Zerka F, Barakat S, Walsh S, Bogowicz M, Leijenaar R T H, Jochems A, Miraglio B, Townend D and Lambin P. 2020. Systematic review of privacy-preserving distributed machine learning from federated databases in health care. *JCO Clinical Cancer Informatics*, (4): 184-200 [DOI: 10.1200/cci.19.00047]
- Zhang L, Lu L, Wang X S, Zhu R M, Bagheri M, Summers R M and Yao J H. 2019. Spatio-temporal convolutional LSTMs for tumor growth prediction by learning 4D longitudinal patient data. *IEEE Transactions on Medical Imaging*, 39(4): 1114-1126 [DOI: 10.1109/tmi.2019.2943841]
- Zhao Y, Li X, Zhang W, Zhao S J, Makkie M, Zhang M, Li Q Z and Liu T M. 2018. Modeling 4D fMRI data via spatio-temporal convolutional neural networks (ST-CNN)//*Proceedings of the 21st International Conference on Medical Image Computing and Computer-Assisted Intervention*. Granada: Springer;1-8 [DOI: 10.1007/978-3-030-00931-1_21]
- Zhong R, Li H, Zhang S and Liu J J. 2018. Advances on recognizing and managing tumor heterogeneity. *Chinese Journal of Lung Cancer*, 21(9): 712-718 (钟睿, 李慧, 张爽, 柳菁菁. 2018. 如何认识和处理肿瘤异质性. *中国肺癌杂志*, 21(9): 712-718) [DOI: 10.3779/j.issn.1009-3419.2018.09.11]
- Zhu H Y and Jin Y C. 2020. Multi-objective evolutionary federated learning. *IEEE Transactions on Neural Networks and Learning Systems*, 31(4): 1310-1322 [DOI: 10.1109/tnnls.2019.2919699]

作者简介



徐春园, 1998年生, 女, 硕士研究生, 主要研究方向为医学影像处理。

E-mail: 3120191400@bit.edu.cn



唐晓英, 通信作者, 女, 教授, 博士生导师, 主要研究方向为生物医学信号检测与处理。

E-mail: xiaoying@bit.edu.cn

曾晓天, 男, 硕士研究生, 主要研究方向为生物医学信号检测与处理。E-mail: 3220181068@bit.edu.cn

宋泽雨, 男, 硕士研究生, 主要研究方向为医学影像处理。

E-mail: 3220181090@bit.edu.cn